

Title: METHOD AND APPARATUS FOR PROVIDING
A DUAL CURRENT-PERPENDICULAR-TO-PLANE (CPP) GMR
SENSOR WITH IMPROVED TOP PINNING

Applicants: H. Gill

Docket: HSJ920030222US1/HITG.068PA

Sheet 1 of 7






Fig. 1

Title: METHOD AND APPARATUS FOR PROVIDING
A DUAL CURRENT-PERPENDICULAR-TO-PLANE (CPP) GMR
SENSOR WITH IMPROVED TOP PINNING
Applicants: H. Gill
Docket: HSJ920030222US1/HITG.068PA
Sheet 3 of 7



Title: METHOD AND APPARATUS FOR PROVIDING
A DUAL CURRENT-PERPENDICULAR-TO-PLANE (CPP) GMR
SENSOR WITH IMPROVED TOP PINNING

Applicants: H. Gill

Docket: HSJ920030222US1/HITG.068PA

Sheet 4 of 7

500




Fig. 5

Title: METHOD AND APPARATUS FOR PROVIDING
A DUAL CURRENT-PERPENDICULAR-TO-PLANE (CPP) GMR
SENSOR WITH IMPROVED TOP PINNING

Applicants: H. Gill

Docket: HSJ920030222US1/HITG.068PA

Sheet 5 of 7




Fig. 6

Title: METHOD AND APPARATUS FOR PROVIDING
A DUAL CURRENT-PERPENDICULAR-TO-PLANE (CPP) GMR
SENSOR WITH IMPROVED TOP PINNING
Applicants: H. Gill
Docket: HSJ920030222US1/HITG.068PA
Sheet 6 of 7




Fig. 7

800




Fig. 8